

SEQUENCE LISTING

```

<110> Song, Hee-Sook
      Roche, Christina
      Morra, Marc
      Dammann, Christian
      Jensen, Timothy
      Dobson, Alleson

<120> TRANSGENIC EXPRESSION CONSTRUCTS FOR VEGETATIVE PLANT TISSUE
      SPECIFIC EXPRESSION OF NUCLEIC ACIDS

<130> 13987-00021-US

<150> PCT/EP2005/002052
<151> 2005-02-26

<150> US 60/548911
<151> 2004-03-01

<150> US 60/591452
<151> 2004-07-27

<160> 19

<170> PatentIn version 3.3

<210> 1
<211> 863
<212> DNA
<213> Pisum sativum

<220>
<221> promoter
<222> (1)..(863)
<223> promoter region of ptxA gene including 5'-untranslated region

<220>
<221> misc_feature
<222> (300)..(583)
<223> potential core region of the promoter comprising clusters of
      promoter elements

<220>
<221> TATA_signal
<222> (549)..(554)
<223> TATA signal

<220>
<221> 5'UTR
<222> (584)..(863)
<223> 5' untranslated region

<400> 1
gcaatttttt gtgaagctga gggaggattg gattttacac ctattcaaaa gtcattcaaa      60
gtttgtcctt ccattcaagg atgaatgtag atttttcaag catcaaacac aagaatcact      120
  
```

agcataacat	gctttgaaac	ccacacactt	aaattaatgt	taggaatatc	aaatccaata	180
taaaatcata	gttgtcaatt	acatactcaa	tcaagtcctt	ttcttttacc	caataaacat	240
caacatattg	cttcttccat	taagcatata	aacatcaaag	tctaaaacta	gcaaaatgtt	300
gttttttagg	tgacacattt	catacatagt	ttaaaagata	cttgattcga	ttacaaaaag	360
aaattaccaa	tagtttagca	caaagtctaa	agcataatta	aagcatcaca	tgtgcagatt	420
tatgaaaaaa	agattaagat	tgcccccttc	atcacgggtc	gaataatagc	actacttgtc	480
actacatggt	aaaaaaatgt	cctctagtag	atcaaacctt	ttccattgat	tcccccttgc	540
catgaaaaaa	ataaacaaa	tcttaagaca	caaaaaaatg	gccccacatc	cttttttctg	600
gcctagtttg	tttgaattca	ttctaactct	tgaatatgta	acgaggccca	ctaaaaatca	660
atcaatgatt	taacataaaa	aatgaatagt	ttaatcccaa	tttgctgcaa	catgggtccgt	720
gaatatgact	cacgagaaa	atatatcaaa	atatcaaaat	ttcatagttt	ttttcaccat	780
ataaacctca	tcactcattc	tattttttta	agtgcaaagc	ttcatagtag	tgagcacaca	840
cattacacta	aaatcttcga	aac				863

<210> 2

<211> 1380

<212> DNA

<213> Glycine max

<220>

<221> promoter

<222> (1)..(1380)

<223> promoter region of SbHRGP3 gene including 5' untranslated region

<220>

<221> misc_feature

<222> (800)..(1179)

<223> potential core region of the promoter comprising clusters of promoter elements

<220>

<221> TATA_signal

<222> (1147)..(1152)

<223> TATA signal

<220>

<221> 5'UTR

<222> (1180)..(1380)

<223> potential 5' UTR

<400> 2

tagaaagctt	ttcaacaatc	atgcccattg	caagtgtaaa	acagggtttac	ctctcttaaa	60
taaccgtatt	aaaatgctga	atgatgtata	tatgtgggtt	caaattacat	aatttgtaag	120
tatgttacac	attgtataaa	tatgttttag	agaaaaatgt	aaacttatat	gtctaaagtt	180
ataaaaagaa	catgtccaac	acatttcagt	taagatttaa	atagtataaa	ttaaaaatta	240
tcgatgatga	caaaaaattg	taaatataat	tcatttttaa	aaaagttaag	aaattgaaaa	300
aggaaatatt	gagaaaaaaa	tatgtcgatt	atatatatgt	gtgagctgag	tgaatatata	360
tgtatatttt	atttttgact	gaatatatgt	gtgtatagac	aataatgcgc	agaatgccga	420
tcgatgaatt	gtttactgca	tttccaaata	tgtgtgcata	agcgttccac	atgtcaccca	480
tgttgtaatt	agtttcttcc	ctggatgaat	tactaagaaa	cagattgatt	gatagtacta	540
tattaaatta	tgtagcttta	catgtcagga	aatgttagtt	gcagtattat	gtaatgtaat	600
taataggaag	tcacagacaa	tttgaagaca	atttcttttag	cttacctatc	tcatgccaca	660
attatgtact	tacgacagta	aaatgtttaa	aagcaaaaaa	aagaaagaag	aagaagaagt	720
aataaatgga	attatataga	atgtactctt	tgtcttcac	tgccctataa	ttcctgcagc	780
agccaaagca	taatagcatg	caatatgcac	atattcgttt	taggctttta	gcctccacga	840
tctgttaatt	gaaagtga	agtaagagat	atgaagtcca	ttatggcagc	catgggtccc	900
gggaagcact	agaagatatg	aaatgacata	aaaggtcacc	atgcataatg	ctttaaatgc	960

```

ttgctataga atcaaaaaat gaagagatgt gacaaattgt tacatctaata acgcaataat 1020
ttgacaaaaga cgactatgcg tttatatatt tattttaatt agttggcgtc tcttattata 1080
aagaaaaataa gggcagtgct aacattttcca ggcaactagt tagttatttt attttcttgt 1140
ttataattat ttccatatag ctagctgtct ctatctaatac caaatccgct ttccacaacc 1200
aacttggctcg cattgggtcca aaaaactcaa tatcaatatt ttcgaaatag ttttagcatt 1260
gtttaggaag agaattgtaa gagataaaaat ctaagtactc cacctaccaa gataaaatag 1320
ttggataaat gggtaaaaaa agttgtataa agggcaacac tacctctcct aatggcagta 1380

```

```

<210> 3
<211> 26
<212> DNA
<213> Artificial

```

```

<220>
<223> Oligonucleotide primer ptxA5'

```

```

<400> 3
ggcgcgcccg caattttttg tgaagc 26

```

```

<210> 4
<211> 25
<212> DNA
<213> Artificial

```

```

<220>
<223> Oligonucleotide primer ptxA3'

```

```

<400> 4
tctagataag tttcgaagat ttttag 25

```

```

<210> 5
<211> 29
<212> DNA
<213> Artificial

```

```

<220>
<223> Oligonucleotide primer SbHRGP3-5'

```

```

<400> 5
tctagataga agcttttcaa caatcatgc 29

```

```

<210> 6
<211> 24
<212> DNA
<213> Artificial

```

```

<220>
<223> Oligonucleotide primer SbHRGP3-3'

```

```

<400> 6
agatcttact gccattagga gagg 24

```

```

<210> 7
<211> 1381
<212> DNA
<213> Glycine max

```

<220>
 <221> promoter
 <222> (1)..(1368)
 <223> promoter

<220>
 <221> misc_feature
 <222> (801)..(1178)
 <223> potential core region of promoter

<220>
 <221> TATA_signal
 <222> (1146)..(1151)
 <223> TATA signal

<220>
 <221> 5'UTR
 <222> (1369)..(1381)
 <223> 5' untranslated region

<400> 7
 aagctttttca acaatcatgc ccatgtcaag tgtaaaacag gtttacctct cttaaataaac 60
 cgtattaaaa tgctgaatga tgtatatatg tgggttcaaa ttacataatt tgtaagtatg 120
 ttacacattg tataaatatg ttttagagaa aaatgtaaac ttatatgtct aaagttataa 180
 aagaaacatg tccaacacat ttcagttaag atttaaatag tataattaaa aattatcgat 240
 gatgacaaaa aattgtaaat ataattcatt ttaaaaaaag ttaagaaatt gaaaaaggaa 300
 atatcgagaa aaaaatatgt cgattatata tatgtgtgag ctgagtgaat atatatgtat 360
 attttatttt tgactgaata tatgtgtgta tagacaataa tgcgcagaat gccgatcgat 420
 gaattgttta ctgcatttcc aaatatgtgt gcataagcgt tccacatgct acccatgttg 480
 taattagttt cttccctgga tgaattacta agaaacagat tgattgatag tactatatta 540
 aattatgtag ctttacctgt caggaaaatg tagttgcagt attatgtaat gtaattaata 600
 ggaagtcaca gacaatttga agacaatttc tttagcttac ctatctcatg ccacaattat 660
 gtacttacga cagtaaaatg tttaaaagca aaagcaaaaa aaagaaagaa gaagaagaag 720
 taataaatgg aattatatag aatgtactct ttgtcttcat ctgccctata attcctgcag 780
 cagccaaagc ataatagcat gcaatatgca catattcgtt ttaggctttt agctccacga 840
 tctgttaatg gaaagtgaag agtaagagat atgaagttca ttatggcagc catgggtcca 900
 gggaagcact agaagatatg aaatgactaa aaggtcacca tgcataatgc tttaaatgct 960
 tgctatagaa tcaaaaaatg aagagatgtg acaaattggt acatctaata cgcaataatt 1020
 tgacaaagac gactatgcgt ttatatatgt attttaatta gttggcgtct cttattataa 1080
 agaaaataag ggcagtgtca acatttccag gcaactagtt agttatttta ttttcttggt 1140
 tataattatt tccatatagc tagctgtctc tatctaatac aaatccgcgt tccacaacca 1200
 acttgggtcca aaaaactcaa tatcaatatt ttcaaaatag ttttagcatt gtttaggaag 1260
 agaattgtaa gagataaaat ctaagtactc cacctaccaa gataaaatag ttggataaat 1320
 gggtaaaaaa gttgtataaa gggcaacact acctctccta atggcagtac caaaacccaa 1380
 g 1381

<210> 8
 <211> 1388
 <212> DNA
 <213> Glycine max

<220>
 <221> promoter
 <222> (1)..(1175)
 <223> potential promoter region

<220>
 <221> misc_feature
 <222> (796)..(1175)
 <223> potential core region of promoter

<220>
 <221> TATA_signal
 <222> (1143)..(1148)
 <223> TATA signal

<220>
 <221> 5'UTR
 <222> (1176)..(1388)
 <223> 5' untranslated region

<400> 8
 aagctttttca acaatcatgc ccatgtcaag tgtaaaacag gtttacctct cttaaataac 60
 cgtatttaaaa tgctgaatga tgtatatatg tgggttcaaa ttacataatt tgtaagtatg 120
 ttacacattg tataaatatg ttttagagaa aaatgtaaac ttatatgtct aaagttataa 180
 aagaaacatg tccaacacat ttcagttaag atttaaatag tataaattaa aaattatcga 240
 tgatgacaaa aaattgtaaa tataattcat tttaaaaaaa gttaagaaat tgaaaaagga 300
 aatatcgaga aaaaaatatg tcgattatat atatgtgtga gctgagtgaa tatatatgta 360
 tattttatgtt ttgactgaat atatgtgtgt atagacaata atgcgagaa tgccgatcga 420
 tgaattgttt actgcatttc caaatatgtg tgcataagcg ttccacatgt cacccatgtt 480
 gtaattagtt tcttcctgg atgaattact aagaaacaga ttgattgata gtactatatt 540
 aaattatgta gctttacatg tcaggaaaaat gtagttgcag tattatgtaa tgtaattaat 600
 aggaagtcac agacaatttg aagacaattt cttagctta cctatctcat gccacaatta 660
 tgtacttacg acagtaaaat gtttaaaagc aaaaaaaaga aagaagaaga agaagtaata 720
 aatggaatta tatagaatgt actctttgtc ttcatctgcc ctataattcc tgcagcagcc 780
 aaagcataat agcatgcaat atgcacatat tcgttttagg ctttttagcct ccacgatctg 840
 ttaatggaaa gtgaaaagta agagatatga agttcattat ggcagccatg gtcccaggga 900
 agcactagaa gatatgaaat gacataaaag gtcaccatgc ataatgcttt aaatgcttgc 960
 tatagaatca aaaaaatgaag agatgtgaca aattgttaca tctaatacgc aataatttga 1020
 caaagacgac tatgcgttta tatatttatt ttaattagtt ggcgtctctt attataaaga 1080
 aaataagggc agtgtcaaca tttccaggca actagtagt tattttatgt tcttgtttat 1140
 aattatttcc atatagctag ctgtctctat ctaatccaaa tccgctttcc acaaccaact 1200
 tggctgcatt ggtccaaaaa actcaatc ataattttctg aaatagtttt agcattgttt 1260
 aggaagagaa ttgtaagaga taaaatctaa gtactccacc taccaagata aaatagttgg 1320
 ataaatgggt aaaaaaagt gtataaaggg caacactacc tctcctaata gcagtaccaa 1380
 aacccaag 1388

<210> 9
 <211> 1373
 <212> DNA
 <213> Glycine max

<220>
 <221> promoter
 <222> (1)..(1172)
 <223> potential promoter region

<220>
 <221> misc_feature
 <222> (793)..(1172)
 <223> potential core region of promoter

<220>
 <221> TATA_signal
 <222> (1140)..(1145)
 <223> TATA signal

<220>
 <221> 5'UTR
 <222> (1173)..(1373)
 <223> 5' untranslated region

<400> 9
 cttttcaaca atcatgcccc tgtcaagtgt aaaacagggt tacctctctt aaataaccgt 60
 attaaaaatgc tgaatgatgt atatatgtgg gttcaaatta cataatttgt aagtatgtta 120
 cacattgtat aaatatgttt tagagaaaaa tgtaaaactta tatgtctaaa gttataaaaag 180
 aaacatgtcc aacacatttc agttaagatt taaatagtat aaattaaaaa ttatcgatga 240
 tgacaaaaaa ttgtaaatat aattcatttt aaaaaaagtt aagaaattga aaaaggaaat 300
 atcgagaaaa aaatatgtcg attatatata tgtgtgagct gagtgaatat atatgtatat 360
 tttatttttg actgaatata tgtgtgtata gacaataatg cgcagaatgc cgatcgatga 420
 attgtttact gcatttccaa atatgtgtgc ataagcgttc cacatgtcac ccatgttgta 480
 attagtttct tccctggatg aattactaag aaacagattg attgatagta ctatattaaa 540
 ttatgtagct ttacatgtca ggaaaatgta gttgcagtat tatgtaatgt aattaatagg 600
 aagtcacaga caatttgaag acaatttctt tagcttacct atctcatgcc acaattatgt 660
 acttacgaca gtaaaatgtt taaaagcaaa aaaaagaaaag aagaagaaga agtaataaat 720
 ggaattatat agaatgtact ctttgtcttc atctgcccta taattcctgc agcagccaaa 780
 gcataatagc atgcaatatg cacatatctg ttttaggctt ttagcctcca cgatctgtta 840
 atggaaaagt aaaagtaaga gatatgaagt tcattatggc agccatgggc ccagggaagc 900
 actagaagat atgaaatgac ataaaaggct accatgcata atgcttttaa tgcttgctat 960
 agaatcaaaa aatgaagaga tgtgacaaat tgttacatct aatacgcaat aatttgacaa 1020
 agacgactat gcgtttatat atttatttta attagttggc gtctcttatt ataaagaaaa 1080
 taagggcagt gtcaacattt ccaggcaact agttagttat tttattttct tgtttataat 1140
 tatttccata tagctagctg tctctatcta atccaaatcc gctttccaca accaacttgg 1200
 tcgcattggc ccaaaaaact caatatcaat attttcgaaa tagtttttagc attgtttagg 1260
 aagagaattg taagagataa aatctaagta ctccacctac caagataaaa tagttggata 1320
 aatgggtaaa aaaagttgta taaagggcaa cactacctct cctaattggca gta 1373

<210> 10
 <211> 1924
 <212> DNA
 <213> Artificial

<220>
 <223> Artificial construct of ptxA promoter and ubiquitin intron

<220>
 <221> promoter
 <222> (1)..(583)
 <223> potential promoter region

<220>
 <221> misc_feature
 <222> (300)..(583)
 <223> potential core region of promoter

<220>
 <221> TATA_signal

<222> (549)..(554)

<223> TATA signal

<220>

<221> 5'UTR

<222> (584)..(828)

<223> 5' untranslated region

<220>

<221> misc_feature

<222> (829)..(874)

<223> multiple cloning site

<220>

<221> Intron

<222> (875)..(1924)

<223> Zea mais ubiquitin intron

<400> 10

gcaatttttt	gtgaagctga	gggaggattg	gatttttacac	ctattcaaaa	gtcattcaaa	60
gtttgtccct	ccattcaagg	atgaatgtag	atttttcaag	catcaaacac	aagaatcact	120
agcataacat	gctttgaaac	ccacacactt	aaattaatgt	taggaatatc	aaatccaata	180
taaaatcata	gttgtcaatt	acatactcaa	tcaagtccct	ttcttttacc	caataaacat	240
caacatattg	cttcttccat	taagcatata	aacatcaaa	gtctaaaacta	gcaaaatgtt	300
gttttttagga	tgacacattt	catacatagt	ttaaaagata	cttgattcga	ttacaaaaag	360
aaattaccaa	tagtttagca	caaagtctaa	agcataatta	aagcatcaca	tgtgcagatt	420
tatgaaaaaa	agattaagat	tgcccccttc	atcacgggtc	gaataatagc	actacttgtc	480
actacatgtt	aaaaaaaaat	cctctagtac	atcaaaactt	ttccattgat	tccccttata	540
catgaaaaaa	ataaacaaa	tcttaagaca	caaaaaaatg	gccccacatc	cttttttctg	600
gcctagtttg	tttgaattca	ttctaactct	tgaatatgta	acgaggccca	ctaaaaatca	660
atcaatgatt	taacataaaa	aatgaatagt	ttaattccaa	tttgctgcaa	catggtccgt	720
gaatatgact	cacgagaaa	atatatcaaa	atatcaaaat	ttcatagttt	ttttcaccat	780
ataaacctca	tactcattc	tattttttta	agtgcaaaag	ttcatagtta	attaaggcgc	840
gccaaagctg	catgcctgca	ggtcgactct	agaggatctc	ccccaaatcc	acccgtcggc	900
acctccgctt	caaggtagc	cgctcgctct	cccccccccc	ccctctctac	cttctctaga	960
tcggcggttc	gggccatggt	tagggcccg	tagttctact	tctgttcatg	tttgtgttag	1020
atccgtgttt	gtgttagatc	cgtgctgcta	gcgttcgtac	acggatgcga	cctgtacgtc	1080
agacacgttc	tgattgctaa	cttgccagt	tttctctttg	gggaatcctg	ggatggctct	1140
agccgttccg	cagacgggat	cgatttcatg	attttttttg	tttcggttga	taggggttgg	1200
tttgcccttt	tcctttattt	caatatatgc	cgtgcacttg	tttgctgggt	catcttttca	1260
tgcttttttt	tgtcttggtt	gtgatgatgt	ggtctggttg	ggcggctcgt	ctagatcgga	1320
gtagaattct	gtttcaaa	acctggtgga	tttattaatt	ttggatctgt	atgtgtgtgc	1380
catacatatt	catagttacg	aattgaagat	gatggatgga	aatatcgatc	taggatagg	1440
atacatgttg	atgcgggttt	tactgatgca	tatacagaga	tgctttttgt	tcgcttggtt	1500
gtgatgatgt	ggtgtggttg	ggcggctcgt	cattcgttct	agatcggagt	agaatactgt	1560
ttcaaaactac	ctggtgtatt	tattaatttt	ggaactgtat	gtgtgtgtca	tacatcttca	1620
tagttacgag	tttaagatgg	atggaaaat	cgatctagga	taggtatata	tggtgatgtg	1680
ggttttactg	atgcatatac	atgatggcat	atgcagcatc	tattcatatg	ctctaacctt	1740
gagtacctat	ctattataat	aaacaagtat	gttttataat	tattttgatc	ttgatatact	1800
tggtgatggg	catatgcagc	agctatatgt	ggattttttt	agccctgcct	tcatacgcta	1860
tttatttgct	tggtactgtt	tcttttgcg	atgctcacc	tggtgtttgg	tggtacttct	1920
gcag						1924

<210> 11

<211> 23

<212> DNA

<213> Artificial

<220>

<223> oligonucleotide primer ptxA3'-2

<400> 11

tctagataaaa ctatgaagct ttg

23

<210> 12

<211> 22

<212> DNA

<213> Artificial

<220>

<223> oligonucleotide primer

<400> 12

ccgcttcgaa accaatgcct aa

22

<210> 13

<211> 24

<212> DNA

<213> Artificial

<220>

<223> oligonucleotide primer

<400> 13

tggtcgtcat gaagatgcgg actt

24

<210> 14

<211> 20

<212> DNA

<213> Artificial

<220>

<223> Oligonucleotide primer ptxaF1

<400> 14

gggccaagga catagtagaa

20

<210> 15

<211> 20

<212> DNA

<213> Artificial

<220>

<223> Oligonucleotide primer ptxaR1

<400> 15

tgaagttaca aacgctgaca

20

<210> 16

<211> 20

<212> DNA

<213> Artificial

<220>
 <223> Oligonucleotide primer ptxaR1

 <400> 16
 agagcatcac acgcaatcaa 20

 <210> 17
 <211> 20
 <212> DNA
 <213> Artificial

 <220>
 <223> Oligonucleotide primer SbHRGP3-F1

 <400> 17
 catgtgcgcg tactttttgta 20

 <210> 18
 <211> 20
 <212> DNA
 <213> Artificial

 <220>
 <223> Oligonucleotide primer SbHRGP3-F1

 <400> 18
 atgaagaata taagccaata 20

 <210> 19
 <211> 20
 <212> DNA
 <213> Artificial

 <220>
 <223> Oligonucleotide primer SbHRGP3-R1

 <400> 19
 agtgccatac aactgtctaa 20